

Seat Belt for Forklift

Forklift Seat Belt - Described in the Regulation guidelines are the utilization of seatbelts and operator restraints on forklifts. It says that the accountability falls on the employers' to ensure that each and every machinery, piece of equipment and tool is used rightly used in accordance to the instructions of the producer.

With regards to their fabrication, use, design, maintenance and inspection Rough Terrain lift trucks must meet the guidelines of ANSI Standard ASME B56.6-1992.

Mobile machinery such as side boom tractors together with a Rollover Protective Structure (ROPS), should contain seat belts that meet the Society of Automotive Engineers safety requirements; Society of Automotive Engineers Standard J386 JUN93, Operator Restraint System for Off-Road Work Machines. If whichever mobile machine has seat belts required by law, the driver and subsequent passengers need to make sure they make use of the belts every time the vehicle is in motion or engaged in operation as this could cause the machine to become unsteady and hence, not safe.

If a seat belt or different driver restraint is needed on a lift truck.

While working a lift truck, the seat belt requirements would depend on some factors. Contributing factors to this determination might include whether or not the the lift truck is equipped together with a Rollover Protective Structure, the kind of lift truck itself and the year the forklift was manufactured. The manufacturer's instructions and the requirements of the applicable standard are referenced in the Regulation.

In the case of powered industrial forklifts, ANSI Standard ASME B56.1-1993 refers to an operator restraint device, system, or enclosure. An operator restraint device, system, or enclosure is intended so as to assist the operator in lessening the danger of entrapment of the head and/or torso between the truck and the ground in the event of a tip over. The system or restraint device may include a seat belt, while a seat belt is not necessarily a part of such machine or system.